

# APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office AUG 10 1981  
 Returned to applicant for correction \_\_\_\_\_  
 Corrected application filed \_\_\_\_\_  
 Map filed AUG 10 1981

The applicant BURNS BROS., INC.  
621 Southeast Union Avenue, of Portland,  
Street and No. or P.O. Box No. City or Town  
Oregon 97214, hereby make s application for permission to appropriate the public  
State and Zip Code No.  
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-  
 tion; if a copartnership or association, give names of members.) An Oregon corporation, Articles of  
Incorporation filed with Oregon Secretary of State October 18, 1946; said Articles  
filed with the Nevada Secretary of State on April 1, 1981.

- The source of the proposed appropriation is underground.  
Name of stream, lake or other source.
- The amount of water applied for is 0.5 c.f.s. second-foot  
One second-foot equals 448.83 gals. per min.  
 (a) If stored in reservoir give number of acre-feet \_\_\_\_\_ acre-feet
- The water to be used for commercial  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
- If use is for:
  - Irrigation (state number of acres to be irrigated) \_\_\_\_\_
  - Stockwater (state number and kinds of animals to be watered) \_\_\_\_\_
  - Other use (describe fully under "No. 12. Remarks") \_\_\_\_\_
  - Power:
    - Horsepower developed \_\_\_\_\_
    - Point of return of water to stream \_\_\_\_\_
- The water is to be diverted from its source at the following point: within the SE 1/4 of Section 33,  
T. 33N., R. 35E., M.D.B. & M. or at a point from which the West 1/2 corner of said  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,  
Section 33 bears S57°48'W 1.579.0'  
it should be stated.
- Place of use portions of the NW 1/4 and the W 1/2 of Section 33, T. 33N., R. 35E.,  
Describe by legal subdivision, if on unsurveyed land it should be so stated.  
M.D.B. & M.
- Use will begin about January 1st and end about December 31st, of each year.  
Month and Day Month and Day
- Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Well, pump, motor, pipelines and water  
distribution system.  
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works.....\$30,000.00.....  
10. Estimated time required to construct works.....three (3) years.....  
If well completed, describe works.

11. Estimated time required to complete the application to beneficial use.....fifteen (15) years.....

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Use is requested for a restaurant, bar and casino complex. Estimated annual consumptive use is 1,460,000 gallons annually.

ROBERT N. CALDWELL, R.L.S., S.W.R.S., AGENT  
By.....s/Robert N. Caldwell.....  
146 West Second Street  
Winnemucca, Nevada 89445

Compared.....sg/js.....bt/bc.....

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

.....This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined amount of water granted under this permit and Permit 44274 is limited to what the well covered under the two permits is capable of producing. If certificates of appropriation are issued under this permit and Permit 44274, the total combined amount of appropriation granted in said certificates shall not exceed what the well covered under the two permits is capable of producing. The total combined duty of water under this permit and Permit 44275 shall not exceed 1.46 million gallons annually.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.5.....cubic feet per second, but not to exceed.....1.46 million gallons annually.....

Actual construction work shall begin on or before.....N/A.....

Proof of commencement of work shall be filed before.....N/A.....

Work must be prosecuted with reasonable diligence and be completed on or before.....January 26, 1983.....

Proof of completion of work shall be filed before.....February 26, 1983.....

Application of water to beneficial use shall be made on or before.....January 26, 1985.....

Proof of the application of water to beneficial use shall be filed on or before.....February 26, 1985.....

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....  
Completion of work filed.....  
Proof of beneficial use filed.....  
Cultural map filed.....  
Certificate No.....

IN TESTIMONY WHEREOF, I PETER G. MORROS  
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 26th day of JANUARY

WITHDRAWN BY 218 (REV. 9/80) FEB 23 1987  
STATE ENGINEER

A.D. 19.82  
State Engineer